

Living with art




Carving

GVT CARVING
600X1200MM

Product Range



Product Range



New collection of rich colour


EXOTIC COLLECTION

Design professionals the skill and dexterity of expert craftsmen ready to give shape to their projects with the utmost mastery, creating absolutely original wooden floors. Total freedom in shapes, colours and effects to allow the maximum expression of creativity



Choose to shine





about Company

A CHARACTERFUL APPEARANCE OF WALL TILES CATCHING YOUR BREATH

We are here with the Prior aim to place a new global trend with range ceramic which is the revolutionary place which will change the traditional way of wall art.


The company was established in the year 2013 under the leadership of great management team who foresaw the evolution of Indian aesthetic sense and demand for high quality inspiring and advanced tiles for floor, walls and exteriors.

Most welcome to Range Ceramic Pvt Ltd. Where you can find the sharp vision of marketing, global network and powerful backbone of quality. The company cares the vision to cater world class ceramic tiles. It believes in superior quality of ceramic tiles with a sharp vision on modern technology with modernized art work. We introduce you to our new range of Range Ceramic which is potential enough to get globally expanded market for ceramic industry to provide the competitive advantage for Digital wall tiles buyers.

Range Ceramic Pvt Ltd. is a versatile ceramic tile company(Group of companies) with over 10 years of experience in the art of fine living. The company is also the largest exporter of ceramic tiles in India. We are here with the Prior aim to place a new global trend with range ceramic which is the revolutionary place which will change the traditional way of wall art.



ADRINA NATURAL



RANDOM- 04



AMELIA BIANCO



RANDOM- 04

Carving

SERIES


GVT 600X1200MM

AMELIA BIANCO





AMELIA GREY



RANDOM- 04



ANTHRA CREMA




RANDOM- 04

Carving
SERIES


GVT 600X1200MM

ANTHRA CREMA





ANTHRA GREY



RANDOM- 04



ARISTO ASH



RANDOM- 03

GVT 600X1200MM

ARISTO ASH





ARISTO FUSION



RANDOM- 03



ARONA WHITE



RANDOM- 03





ASIAN BEIGE



RANDOM- 05



ASIAN BIANCO



RANDOM- 05





ASIAN BROWN



RANDOM- 05



ASIAN GREY



RANDOM- 05





ATLAS GREY



RANDOM- 03



ATLAS LIME



RANDOM- 03






BRESTONE DOVE



RANDOM- 04



BRESTONE GOLD



RANDOM- 04

GVT 600X1200MM

BRESTONE GOLD







BRIO DOVE



RANDOM- 01



BRIO GREY



RANDOM- 01

Carving

SERIES


GVT 600X1200MM

BRIO GREY





CLASSIC WHITE



RANDOM- 04




CRIST CREMA



RANDOM- 04






DEBONA BEIGE



RANDOM- 03



ELIZA BROWN



RANDOM- 04





ELIZA CREMA



RANDOM- 04



EMAIL BEIGE



RANDOM- 04

Carving

SERIES

GVT 600X1200MM

ELIZA CREMA





EMAIL BIANCO



RANDOM- 04



EMAIL BROWN




RANDOM- 04






FERRO NERO



RANDOM- 03



KATNI BEIGE



RANDOM- 04






KATNI BIANCO



RANDOM- 04



MERCURY WHITE



RANDOM- 04

Carving
SERIES

GVT 600X1200MM

KATNI BIANCO





NATURAL GOLD



RANDOM- 04



NEXO BEIGE



RANDOM- 04






NEXO BIANCO



RANDOM- 01



NEXO BLUE




RANDOM- 04






NEXO BROWN



RANDOM- 01



POLAR GREY



RANDOM- 01







POLAR NUT



RANDOM- 01



POLAR WHITE



RANDOM- 01


GVT 600X1200MM

POLAR NUT





ROMANO WHITE



RANDOM- 04



SERONA BIANCO




RANDOM- 03







SERONA CHOCO



RANDOM- 03



SERONA GRIS



RANDOM- 03





SERONA CREMA



RANDOM- 03



SILESTA PRIME



RANDOM- 04





SILESTA TUSK



RANDOM- 04




TRAVER CREMA




RANDOM- 03






WILLIAM EVOKE



RANDOM- 04



WILLIAM TRANS



RANDOM- 04





ZORANI MIST




RANDOM- 04

GVT
600X1200MM



Endless Carving

S E R I E S



STYLE YOUR LIFE
WITH TILES.

THE ART OF TILE:
PRE-MADE DESIGNS
THAT LOOK AMAZING.

**600X
1200MM**



BOLIDE CREAM



RANDOM- 04



BOLIDE GREY




RANDOM- 04





BOLIDE NERO



RANDOM- 04



BOLIDE SILVER



RANDOM- 04





BOLIDE TAN



RANDOM- 04



CHIRON FOSSIL



RANDOM- 04





CHIRON SMOKE



RANDOM- 04



GALIBIER BROWN



RANDOM- 04





GALIBIER CREMA



RANDOM- 04



GALIBIER NERO



RANDOM- 04

Carving
SERIES

GVT 600X1200MM

GALIBIER CREMA






GALIBIER SILVER



RANDOM- 04



LEAD MINK



RANDOM- 04






NOIRE FOSSIL



RANDOM- 04



NOIRE HUSK



RANDOM- 04

Carving

SERIES

GVT 600X1200MM

NOIRE FOSSIL







NOIRE WHITE



RANDOM- 04




PARKER ART DARK




RANDOM- 04







PARKER ART LIGHT



RANDOM- 04



VISION SMOKE



RANDOM- 04

Carving

SERIES

GVT 600X1200MM

PARKER ART LIGHT





VOITURE IVORY



RANDOM- 04

GVT
600X1200MM



Technical Specifications.

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF GVT / PGVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color dierence	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	<0.05 %	<0.05%	<0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion(COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given o by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15



Packing Details.

SR. NO.	PRODUCT	NOMINAL SIZE	TILES PER BOX	COVERAGE AREA	WEIGHT
1	VITRIFIED TILES	600 x 1200 mm	2	1.44 Sq. Mtr.	29 Kg Approx..

Note: •Colour Shown are as accurate as the limitations of the printing process will allow. •Prospective customers are advised to inspect a sample of the tile before ordering. •Every effort has been made to ensure the accuracy of the information given. •However, the company reserve the right to change the specifications without prior notice. •Sometime variations in shade or size being inherent to ceramic industry may occur. •Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

Applications.



DISCLAIMER : We reserves the right to delete & amend either totally of partially, and of the colours, shapes, size, references and other technical specification contain in catalogue at any time. the colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample final selection. The details of colours, size, references should be vitrified for Typographical errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLIANT SHALL BE SHALL ENTERTAINED ON TILES ALREADY LAID/FIXED.



RANGE CERAMIC PVT. LTD.

Opp. CNG Pump, Jetpar Road,
At. Bela, Morbi - 363 642, (Guj.) INDIA.

Mail : info@rangeceramic.com

Call us : +91 99786 04040
+91 99786 44040

🌐 www.rangeceramic.com