



Textura
Feel The Depth



Adds depth and dimension to your surfaces.

Elevate your spaces with the Textura Collection where every tile tells a story of elegance, depth, and craftsmanship. Our punch effect tiles are meticulously designed to bring a touch of sophistication and character to any room. Inspired by the art of relief, the Textura Collection offers intricate patterns and striking textures that are not just visually stunning but also create a tactile experience. Whether you're looking to add a bold statement or subtle charm, these tiles deliver unparalleled style and durability.

Whether you're designing a modern minimalist space or adding a touch of elegance to a traditional environment, the Punch Effect Collection offers versatility and style that stands the test of time. Built for durability, these tiles not only offer an aesthetic upgrade but also the resilience to withstand the demands of everyday life.



Crafted To Complement Both Modern And Classic Interiors.

Each tile in the Textura Collection is meticulously crafted, featuring deep textures that bring a dynamic, three-dimensional feel to any space. Whether you're looking to create a bold accent wall or add a subtle yet impactful touch to your flooring, the Textura Collection offers endless possibilities. The rich patterns and tactile surfaces not only enhance the visual appeal but also add a tangible element of luxury to your interiors.

Add
A Touch Of Luxury
To Your Spaces
With
The Textured Surface,
Featuring
Rich Patterns And
Unmatched
Craftsmanship.



Textura
Feel The Depth



Technical Characteristic



FIREPROOF
Fire-resistant products,
that does not emit
smoke or toxic substances.



SCRATCH RESISTANT
The hardness of it's surface,
makes it scratch,
resistant and hard-wearing.



HYGIENIC SURFACE
It does not retain organic
substances or bacteria,
thus preventing its proliferation.



WEAR RESISTANT
Resistant to abrasion,
and wear, which makes
it a durable product.



WATER RESISTANT
Surface with low level of
absorption, Which makes it
resistant to liquids and moisture.



CHEMICAL RESISTANT
Chemicals as detergents,
or solvents do not,
alter its surface.




STAIN RESISTANT
Its low porosity makes,
it a stain resistant tile,
resulting in easier cleanability.



ANTI SLIP
Its surface is non-slip,
responding to the,
international standards
in force.



Textura
Feel The Depth



ARIZONA BEIGE DECORA



ARIZONA BEIGE WAVE

DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS


O3
RANDOMS







Textura
Feel The Depth



ARIZONA BIANCO DECORA



ARIZONA BIANCO WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O3
RANDOMS





Textura
Feel The Depth



ARIZONA GREY DECORA



ARIZONA GREY WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE


9MM
THICKNESS

O3
RANDOMS






Textura
Feel The Depth



ARIZONA IVORY DECORA



ARIZONA IVORY WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE


9MM
THICKNESS

O3
RANDOMS






Textura
Feel The Depth



ARKETY IVORY DECORA



ARKETY IVORY WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE


9MM
THICKNESS

O4
RANDOMS





Textura
Feel The Depth



ARKETY SAND DECORA



ARKETY SAND WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE


9MM
THICKNESS

O4
RANDOMS






Textura
Feel The Depth



ARKETY WHITE DECORA



ARKETY WHITE WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE


9MM
THICKNESS

O4
RANDOMS





Textura
Feel The Depth



EVEN CREMA DECORA



EVEN CREMA WAVE

DESIGN INFORMATION




600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O4
RANDOMS







Textura
Feel The Depth



EVEN GREY DECORA



EVEN GREY WAVE



DESIGN INFORMATION



600x1200MM 2'x4' 24"x48"	MATT SURFACE	9MM THICKNESS	O4 RANDOMS
-------------------------------	-----------------	------------------	---------------






Textura
Feel The Depth



EVEN WHITE DECORA



EVEN WHITE WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O4
RANDOMS





Textura
Feel The Depth



JUPITER BIANCO DECORA



JUPITER BIANCO WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O4
RANDOMS





Textura
Feel The Depth



JUPITER CREMA DECORA



JUPITER CREMA WAVE

DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O4
RANDOMS







Textura
Feel The Depth



JUPITER GREY DECORA



JUPITER GREY WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O4
RANDOMS





Textura
Feel The Depth



PACIFIC BEIGE DECORA



PACIFIC BEIGE WAVE



DESIGN INFORMATION



600x1200MM 2'x4' 24"x48"	MATT SURFACE	9MM THICKNESS	O4 RANDOMS
-------------------------------	-----------------	------------------	---------------





Textura
Feel The Depth



PACIFIC BIANCO DECORA



PACIFIC BIANCO WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O4
RANDOMS







Textura
Feel The Depth



PACIFIC CHIARO DECORA



PACIFIC CHIARO WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O4
RANDOMS





Textura
Feel The Depth



PACIFIC GREY DECORA



PACIFIC GREY WAVE

DESIGN INFORMATION




600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS


O4
RANDOMS









Textura
Feel The Depth



PORTLAND SILVER DECORA



PORTLAND SILVER WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE


9MM
THICKNESS

O4
RANDOMS






Textura
Feel The Depth



PORTLAND BIANCO DECORA



PORTLAND BIANCO WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O4
RANDOMS






Textura
Feel The Depth



PORTLAND SAND DECORA



PORTLAND SAND WAVE



DESIGN INFORMATION



600x1200MM 2'x4' 24"x48"	MATT SURFACE	9MM THICKNESS	O4 RANDOMS
-------------------------------	-----------------	------------------	---------------






Textura
Feel The Depth



PORTLAND TALCE DECORA



PORTLAND TALCE WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE


9MM
THICKNESS

O4
RANDOMS





Textura
Feel The Depth



VIOLA CREMA DECORA



VIOLA CREMA WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O4
RANDOMS





Textura
Feel The Depth



VIOLA EARTH DECORA



VIOLA EARTH WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O4
RANDOMS





Textura
Feel The Depth



VIOLA GREY DECORA



VIOLA GREY WAVE

DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O4
RANDOMS







Textura
Feel The Depth



VIOLA NERO DECORA



VIOLA NERO WAVE

DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS


O4
RANDOMS







Textura
Feel The Depth



VIOLA SILVER DECORA



VIOLA SILVER WAVE



DESIGN INFORMATION



600x1200MM
2'x4' | 24"x48"

MATT
SURFACE

9MM
THICKNESS

O4
RANDOMS



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy PO(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	9mm	2 pcs.	1.44 sq. mtr.	27 KG (APPROX)





RANGE CERAMIC PVT. LTD.

Opp. CNG Pump, Jetpar Road,
At. Bela, Morbi - 363 642, (Guj.) INDIA.

Call : +91 99786 04040 | +91 99786 44040

Mail : info@rangeceramic.com

www.rangeceramic.com
